



Health and environment: Fulfillment of obligations under the European REACH regulation



PRODUCT SHEET

Date of issue: 10/07/23



RAPIDO SUPER - high-performing white microfiber mop, looped yarn, with colored backing for strap tape system





REF.	NOTES	WEIGHT (gr)	NET WEIGHT (kg)	SIZE (cm)	PCK	VOLUME (m ³)	GROSS WEIGHT (kg)
00PN0309A00DA		48	0,048	30x10	25	0,011	1,39
00PN0309A00DB		48	0,048	30x10	25	0,011	1,39
00PN0309A00DC		48	0,048	30x10	25	0,011	1,39
00PN0309A00DF		48	0,048	30x10	25	0,011	1,39
00PN0409A00DA		70	0,07	40x10	25	0,019	2,09
00PN0409A00DB		70	0,07	40x10	25	0,019	2,09
00PN0409A00DC		70	0,07	40x10	25	0,019	2,09
00PN0409A00DF		70	0,07	40x10	25	0,019	2,09
00PN0609A00DA		104	0,104	60x10	20	0,019	2,42
00PN0609A00DB		104	0,104	60x10	20	0,019	2,42
00PN0609A00DC		104	0,104	60x10	20	0,019	2,42
00PN0609A00DF		104	0,104	60x10	20	0,019	2,42

Ideal for any surface with medium-high dirt

APPLICATIONS

It is indicated for the washing/disinfection of floors with a medium/high degree of dirt. Suggested for cleaning inside floors (hotels, houses, offices, hospitals etc.).

ECO BOX 📎



COMPLIES WITH THE EUROPEAN GPP GUIDELINES ON THE USE OF ENVIRONMENTALLY FRIENDLY PRODUCTS IN PUBLIC ADMINISTRATIONS

Reusable Ecolabel (EU) certified microfiber "flat" mop Microfiber denier dTtex \leq 1 for an efficient water and chemical consumption



ECOLABEL CERTIFIED PRODUCT

Environmental label in compliance with UNI EN ISO 14024 that rewards the best eco friendly products, certifying their low environmental impact throughout their life cycle and qualifying them in the market



ECO-FRIENDLY PRODUCT

100% solar-powered textile production Product sold in packaging compliant with Legislative Decree 116 of 03-09-2020 concerning the obligation of environmental labeling for correct disposal at the end of use. 99% of the cardboard packaging used by the company is made on average with 80% recycled paper

Disclaimer: Filmop International SrI reserves the right to update the contents of this document at any time and without notice.

FILMOP INTERNATIONAL SRL Via dell'Artigianato, 10/11 - 35010 VILLA DEL CONTE (PD) - ITALY- Tel. +39 049 9325066 - Fax +39 049 9325317 - filmop@filmop.com







PRODUCT SHEET

Date of issue: 10/07/23



LOW ENVIRONMENTAL IMPACT PRODUCT

The code 00PN0409A00DA has passed the test on the release of microplastics during washing and rinsing, carried out according to the ISO 23231 standard by an independent laboratory

FEATURES

- Thanks to a special twisting process, this yarn keeps its shape and structure even after many washing cycles with low linting
- Thanks to its structure, the microfiber absorbs more due to its yarn capillarity and it covers a wider cleaning area
- Support for strap tape system: it is an innovative unshrinkable material which is non-linting and does not fade keeping its characteristics unaltered
- Made in Italy
- Latex-free product

MATERIAL

CLEANING SIDE

Microfibre: 100% Microfibre composition: 80% Polyester - 20% Polyammide Microfibre Denier: 0,28

SYSTEM Strap tape in polyammide

ABSORBENCY

Dry mop absorbs up to 3 times its own weight

LIFE CYCLE

Washable max 500 cycles if washing instructions and warnings are respected

CARE AND MAINTENANCE

WARNINGS

In order to guarantee the high performance of the microfiber it is necessary to perform at least 2 washes before using it Follow carefully the washing instructions and warnings on the detergent packaging (temperature and dosing) before washing We recommend the use of normal detergent for textiles, no fabric softener Always pre-wash in cold water without detergent to remove residues of the chemical product used We suggest to use the specific net bags for the mop washing

WASHING INSTRUCTIONS

60°	SUGGESTED washing temperature: 60° C				
<u>95°</u>	MAX washing temperature: 95° C				
\triangle	Bleaching possible - Do not use chlorine or bleach				
\odot	Mechanical drying at low temperature 50°C				
\bigotimes	No ironing				
\bigotimes	Do not dry clean				
	Do not use softener Use alkaline detergents with Ph < 11				

Disclaimer: Filmop International SrI reserves the right to update the contents of this document at any time and without notice.

FILMOP INTERNATIONAL SRL Via dell'Artigianato, 10/11 - 35010 VILLA DEL CONTE (PD) - ITALY- Tel. +39 049 9325066 - Fax +39 049 9325317 - filmop@filmop.com





Health and **Company certifications:** environment: Fulfillment of obligations under the European **REACH** regulation ISO 14001

system



Date of issue: 10/07/23

RELATED PRODUCTS



Mop holder with strips 2,5 cm for strap tape system and with Lock System joint

TÜV

ISO 9001



Tool for 2.5 cm wide strap tape system profile mops with ErgoSwing joint



TÜV

Mop holder with 2,5 cm strips for strap tape system, with Uni-Connect fitting and cone and Lock System

Mop holder with strips 2,5 cm for strap tape



Aluminium mop holder with strap tape system strips



Aluminum mop holder with strips for strap tape system and Lock System joint

Aluminium mop holder with strips for strap tape system, with Uni-Connect fitting and

Kit ERGODROP - tank handle 500 ml with aluminium mop holder 40 cm with strips for

strap tape system with ErgoSwing fitting,

bordered Skill-Fur microfiber mop and dosing

cone and Lock System

jug



Aluminum mop holder with strips for strap tape system, with ErgoSwing joint



UNILAV SIDE GRIP - flat mop with 650ml bottle and holder with strap tapes



TOP-DOWN® 20 It - plastic bucket with plastic handle and hermetic cover

GENERAL PRODUCT SAFETY

The products sold by us do not need a product certification, as they are in compliance with the definition in Legislative Decree 206 of 06.09.2005

DECLARATION OF CONFORMITY

All the products sold by us are in compliance with the laws in force regarding safety and are covered by an insurance policy "Civil responsibility for products"

Disclaimer: Filmop International Srl reserves the right to update the contents of this document at any time and without notice.

FILMOP INTERNATIONAL SRL Via dell'Artigianato, 10/11 - 35010 VILLA DEL CONTE (PD) - ITALY- Tel. +39 049 9325066 - Fax +39 049 9325317 - filmop@filmop.com