


SAFETY DATA SHEET


According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/ UNDERTAKING

Product identifier	Ecoclean 104
Product code(s) according to the Combined Nomenclature (CNC)	34029090
Relevant identified uses of the substance/ mixture and uses advised against	Cleaning/ maintenance detergent for professional use – alkaline foaming detergent for carbonized soil.
Supplier/ Manufacturer	JSC „BS Chemical“, Baltijos pr. 123-9, LT-93224 Klaipeda, Lithuania, EU, tel./fax.: +370 46 366279, www.bs-chemical.com
E-mail address for a competent person responsible for the safety data sheet	dovile@bs-chemical.lt
Emergency telephone number	<p>112 (in Member State of EU).</p> <p>Lithuania: +370 5 236 20 52, +370 687 533 78. Service is available 24 hours.</p> <p>Estonia: 16662, calling from abroad (+372) 626 93 90. Hours of operation are during weekdays from Monday 9AM to Saturday 9AM (closed on Sunday and on national holidays).</p> <p>Latvia: +371 67042473. Service is available 24 hours.</p> <p>Norway: 22 59 13 00.</p> <p>Poland: + 48 58 349 28 31, + 48 12 646 87 06, + 48 61 848 10 11, + 48 22 619 66 54 ext. 1240.</p> <p>113 (in Member State of CIS).</p> <p>Russia: 8 (495) 621-68-85; 8 (495) 621-68-85.</p> <p>Belarus: +375 17 385 14 22.</p>


2. HAZARDS IDENTIFICATION

Classification of the substance/ mixture and label elements	Signal word: Danger	
	Hazard class: Skin corrosion, subcategory 1A	
	Hazard statements:	
	H314 Causes severe skin burns and eye damage.	
	Precautionary statements:	
	P280 Wear protective gloves / protective clothing /use eye (face) protection.	
	P301+P330+P331 IF SWALLOWED: Rinse mouth. Do not induce vomiting.	
	P303+P361+P353 IF ON SKIN (or hair): Take off / remove all contaminated clothing. Rinse skin with water / jet.	
	P304+P340 IF INHALED: Remove suffering person to the fresh air, leave him resting in a	

GHS05

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously several minutes with water. Remove contact lenses, if they present and it is easy to do. Continue washing eyes.

P310 Immediately call POISON CENTER and the doctor.

P501 Dispose of contents/container to in accordance with applicable laws and regulations.

Other hazards Substance/ mixture does not meet the PBT or vPvB classification criteria; at the time MSDS' compilation substances are not on the candidate SVHC (very high concern) list.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Description of substance/ mixture Solution, mixture of substances listed below with no hazardous additions.

Hazardous components:

No	CAS No	EC No	Index No	Mass fraction, %	Chemical name, <i>registration number</i>	Classification
1.	1310-73-2	215-185-3	011-002-00-6	30 – 45	sodium hydroxide; caustic soda <i>01-2119457892-27-0000</i>	Skin. Corr. 1A H314
2.	68515-73-1	500-220-1	-	< 5	D-Glucopyranose, oligomers, decyl octyl glycosides <i>01-2119488530-36-0000</i>	Eye Dam. 1 H318

Note: risk phrases and other signs are listed in Sections 2 and 16.

Components according to EU Detergents Regulation No. 551/2009:

Nonionic surfactants	< 5
Phosphonates	< 5

4. FIRST AID MEASURES

Description of first aid measures:

Information of the first aid

In all cases if the damage to health occurred, seek immediate medical attention. If a person is unconscious do not give any water/ do not put anything into the mouth. If substance/mixture poisoning case was discovered immediately contact the nearest Poisons control and information centre.

After inhalation

If inhalation of gas during an accident has occurred, immediately stop the contact - take out a suffering person to the fresh air, provide a peace. If respiratory impairment has occurred seek medical advice. If a person lost consciousness, lay him down steadily on a side and carry to the medical institution.

After skin contact

Immediately take off contaminated clothing, wash with plenty of water at least 10 – 15 minutes. In case of burn do not use soap. If symptoms of damage develop, seek medical advice.

After eye contact


Rinse opened eye as soon as possible, at least 10 - 15 minutes wash eyes with running water lifting and lowering eyelids. Remove contact lenses, if they present and it is easy to do. Seek immediate medical attention.

After swallowing

Do not induce vomiting, do not give activated carbon. If a person is conscious, remove substance residues from mouth, rinse it with water, give to

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

drink water until 500 ml and seek immediate medical attention.

Most important symptoms and effects (acute and delayed):

Effects on eyes/skin seen as corrosion.

Indication of any immediate medical attention and special treatment needed:

In the workplace must be an eyewash fountain, shower or bath. Also, first-aid equipment, instruments eyes flushed.

5. FIREFIGHTING MEASURES

Extinguishing media

The mixture is not flammable. Extinguishing media: water (spray), dry extinguishing powder. Fire-fighting equipment must be selected assessing the properties of around burning materials.

Special hazards arising from the substance/ mixture

It is necessary to know the properties of other chemical substances or mixtures used or stored together.

Advice for firefighters

During the fire, wear respiratory protective equipment and chemical resistant/protective clothing. Protective personal equipment must be chosen assessing the properties of burning around materials.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Sufficient ventilation/ respiratory protection, contact with skin, eyes prevention. Do not inhale gas. Use appropriate personal protective equipment as indicated in Section 8.

Environmental precautions

Do not pour any spilled out material to the local drains, surface water or nature environment.

Methods/ material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Neutralize residues and rinse off surface with water. It is prohibited discarding the material in the trash basket or pouring back into the original container. Dispose gathered material according to the instructions. When spills of large quantities, it is necessary to inform the rescue service.

Reference to other sections

View sections 8 and 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Store in a tightly closed original packaging in dry ventilated area. Do not store together with acids, strong oxidizers. Do not damage packaging. Keep container in the temperature not lower than 0°C and not more than +35°C and away from heat, direct sunlight. Best before: 24 months after date of production.

Conditions for safe storage, including any incompatibilities

For the professional use only. Use only in a well ventilated area, where exhaust ventilation is equipped strictly in accordance with the instructions. Use common rules/instructions when working with chemicals. Do not mix with other chemicals. During the process do not eat, drink or smoke. Do not allow concentration of gas in the air to exceed allowable threshold. Use appropriate personal protective equipment as indicated in Section 8.

Specific end use(s)

For the professional use only.

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION**Control parameters** according to HN 23:2007 in Lithuania:

CAS No.	Name	Allowable concentration
1310-73-2	sodium hydroxide; caustic soda	NRD 2 mg/m ³ U

Notes: NRD – not to be exceeded limit value, TPRD – short-term exposure limit value; U – acute effects.

DNEL (workers):

CAS No.	Name	Effects
1310-73-2	sodium hydroxide; caustic soda	long-term, local, inhalation: 1 mg/m ³ (irritation, respiratory tract)
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	long-term, systemic, inhalation: 420 mg/m ³ , dermal: 595000 mg/kg bw/day

DNEL (general population):

CAS No.	Name	Effects
1310-73-2	sodium hydroxide; caustic soda	long-term, local, inhalation: 1 mg/m ³ (irritation, respiratory tract)
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	long-term, systemic, inhalation: 124 mg/m ³ , dermal: 357000 mg/kg bw/day, oral: 35,7 mg/kg bw/day

PNEC:

1310-73-2	sodium hydroxide; caustic soda	not determined/ no data.
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	freshwater: 176 µg/l, marine water: 17,6 µg/l, sediment (freshwater): 1,516 mg/kg, sediment (marine water): 1,52 µg/kg, STP: 560 mg/l

Exposure controls

Appropriate engineering controls

General, local exhaust ventilation. Avoid the spills, and any contact with this mixture, see Section 7. Avoid the spills, contact with ground and sewage system.

Personal protective equipment:

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately take off all soiled and contaminated clothing. Wash hands before breaks and at the end of the work. Avoid contact with eyes and skin.

Hand and body protection

Protective gloves. The material of the gloves should be resistant to the substance/ mixture. Penetration time of the material check out with manufacturer. Protective clothing, footwear, rubber apron.

Eye protection


Protective safety glasses, face covering shields.

Respiratory protection

In case of insufficient ventilation or accident - In the case of insufficient ventilation, or in an emergency – the protection against aerosols must be used

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

half masks with filtering against harmful liquid aerosols, valve filtering half masks against gases and particles.

Environmental impact control

See sections 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Liquid
Color	Clear, dark brown
Odor	Specific
pH, 100 %, 25°C	~ 12,8
pH, 100 %, 25°C	~ 13,7
The relative density, g/cm ³ , 20°C	1,44 – 1,47

10. STABILITY AND REACTIVITY

Reactivity	Stored and handled as prescribed/ indicated, hazardous reactions do not occur.
Chemical stability	Under normal conditions, and if strictly followed the rules of safe use, the mixture is stable.
Possibility of hazardous reactions	Exothermic reaction with acids, strong oxidizers. Destroys light metals (tin, zinc, aluminum, brass), some plastics and rubber.
Conditions to avoid/ incompatible materials	Avoid heat, direct sunlight, acids, strong oxidizing, reducing agents.
Hazardous decomposition products	Reaction products depend on the substances/mixtures involved in the chemical reactions.


11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity	On the basis of chemical information, it can be said that the mixture is not characterized by toxicity, when swallowed by tested animals.
Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/irritation	Causes severe eye damage.
Respiratory or skin sensitisation	Sodium hydroxide gas may cause an irritant effect for respiratory tract.
Germ cell mutagenicity	On the basis of chemical information, it can be said that the mixture is not characterized by germ cell mutagenicity: no evidence of mutagenic effect of components.
Carcinogenicity	On the basis of chemical information, it can be said that the mixture is not characterized by carcinogenicity: no evidence of carcinogenicity effect of

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

components.

Reproductive toxicity	On the basis of chemical information, it can be said that the mixture is not characterized by reproductive toxicity: no evidence of reproductive toxicity effect of components.
STOT-single exposure	Not determined/ no data.
STOT-repeated exposure	Not determined/ no data.
Aspiration hazard	Not determined/ no data.
Additional toxicological information	The effect depends on the concentration and on time from one second to minute.

12. ECOLOGICAL INFORMATION

Toxicity	On the basis of chemical information, it can be said that mixture is not characterized by toxicity to aquatic organisms.
Persistence and degradability	On the basis of chemical information can be said that the product is biodegradable but phosphonates does not inherently biodegradable in water. The biodegradation process of mixture (surfactants) in the environment is in accordance with requirements of Detergents Regulation No 551/ 2009.
Bioaccumulative potential	Does not accumulate in fatty tissues.
Mobility in soil	Soluble in water, spread out, neutralize. Before being released into waste water or sewage system must be diluted with water or neutralized.
Results of PBT and vPvB assessment	Components are not classified as PBT and vPvB substances.
Other adverse effects	Threat to aquatic and soil organisms can be caused by changes in local environment's pH.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods:


Disposal of product	Waste must be managed according to the Waste Management Act. Do not dispose in the trash, local and storm sewage system, surface water or environment. Codes of waste: 07 06; 20; 20 01 15*; 20 01 29*; 20 01 30.
Disposal of packaging	Packaging waste must be handled according to packaging and packaging waste management act. Washed and dried packaging can be reused or given back to packaging waste management companies. Packaging waste code 15 01 02 plastic (including PET) packaging; 15 01 10 contaminated packaging or containing dangerous chemical residues.

14. TRANSPORT INFORMATION

Transport classification	Land transport ADR / RID (international/internal transportation).
---------------------------------	---

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

UN number	1719
UN proper shipping name	CAUSTIC ALKALI LIQUID, N.O.S.
Transport hazard class(es)	8 corrosive substances
Packing group	II
Hazard labels	8
Environmental hazards	Threat to the aquatic environment or the sewage system.
Special precautions for user	Do not damage packaging.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture:**

European and Commission Regulations (EC) No. 648/2004, 907/2006, 551/2009, 1907/2006, 1272/2008, 453/2010, 2015/830

Lithuanian hygiene norm HN 23:2007

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

Chemical safety assessment	Chemical safety assessment is conducted for present substances (sodium hydroxide, D-Glucopyranose, oligomers, decyl octyl glycosides).
-----------------------------------	--

16. OTHER INFORMATION

Explanations of Hazard symbols and numeric characters (described in Section 3):

Skin Corr. 1A	Skin corrosion, subcategory 1A.
---------------	---------------------------------

Eye Dam. 1	Seriuos eye damage, category 1.
------------	---------------------------------

H318	Causes serious eye damage.
------	----------------------------

Abbreviations and acronyms:

DNEL	Derrived no-effect level
------	--------------------------

LD50/ LC50	the amount (concentration) of a material, which causes the death of 50% of test animals
------------	---

NOEC	No Observed Effect Concentration
------	----------------------------------


PBT	Persistent, bioaccumulative and toxic chemical substances
-----	---

vPvB	very persistent and very bioaccumulative chemical substances
------	--

This safety data sheet must be available to anyone who works with this type of chemical product. Data is in line with our current knowledge and it describes a chemical product, offers safety, occupational health, and environmental recommendations. This information will be added if new data about this chemical product will be ready. Material

SAFETY DATA SHEET

According to Commission Regulation (EU) No. 2015/ 830 Annex

	ECOCLEAN 104	The date of compilation:	2010-07-20
		Revision:	2017-05-22
		Version No.	7

Safety Data Sheet does not disclose any specific chemical characteristics of the product.